

LOOKBOOK 2019





#### ITALY

The most beautiful and fascinating country, I have always been. I'm very proud to represent Italy throughout my career.

#### **FLAVOR**

Reflects the way I often shared my personality outside of the water by cooking Italian food around the world that captured the flavors of our traditions.

#### DESIGN

Connected to every detail and dedicated Italian beauty with the true expression of how I'd like a board to look and perform.

All the three words match together in a perfect blend to our unique products represented in a wide-ranging vision and passion for the sport.

The success is never an individual story, but rathermore it is an honor to work with a team of dedicated professionals who work every day to reach our common goals together.

Cesare Cantagalli I-99

L O O K B O O K



KS MODEL WAVE CORE

CHAMELEON WAVE MULTIFIN

STYLE PRO WAVE PERFORMANCE FREESTYLE WAVE

STYLE WAVE FREESTYLE WAVE

STYLE PRO













MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
KS 71	71	219	55	Quad	Slot Box	MFC KS 13+9	3.5/5.0
KS 79	79	221	57	Quad	Slot Box	MFC KS 14+9	3.7/5.3
KS 87	87	223	59	Quad	Slot Box	MFC KS 15+9	4.0/5.6
KS 95	95	225	61	Quad	Slot Box	MFC KS 16+9	4.5/6.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Chameleon 5X 70	70	218	54,5	Multifin	Slot Box	MFC / TF RTM – Epoxy Carbon Thruster Set 15+10	3.5/4.7
Chameleon 5X 78	78	221	55,5	Multifin	Slot Box	MFC / TF RTM – Epoxy Carbon Thruster Set 16+10	3.7/5.3
Chameleon 5X 85	85	224	58,5	Multifin	Slot Box	MFC / TF RTM – Epoxy Carbon Thruster Set 17+11	4.0/5.7
Chameleon 5X 93	93	227	60,5	Multifin	Slot Box	MFC / TF RTM – Epoxy Carbon Thruster Set 18+11	4.2/6.0
Chameleon 5X 101	101	230	62,5	Multifin	Slot Box	MFC / TF RTM – Epoxy Carbon Thruster Set 19+12	4.2/7.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Style PRO Wave 86	86	226	58,5	thruster	Power Box + Slot Box	MFC Freewave 21 + TF 10	3.5/6.0
Style PRO Wave 95	95	228	61,5	thruster	Power Box + Slot Box	MFC Freewave 22 + TF 12	3.7/6.3
Style PRO Wave104	104	230	63	thruster	Power Box + Slot Box	MFC Freewave 23 + TF 12	4.0/6.8
Style PRO Wave 113	113	232	66	thruster	Power Box + Slot Box	MFC Freewave 25 + TF 12	4.2/7.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Style Wave 86	86	231	59	singlefin	US Box	MFC Freewave 23	3.5/6.0
Style Wave 95	95	233	61	singlefin	Power Box	MFC Freewave 25	3.7/6.3
Style Wave 104	104	235	63	singlefin	Power Box	MFC Freewave 28	4.0/6.8
Style Wave 113	113	236	65	singlefin	Power Box	MFC Freewaye 30	4.2/7.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Style PRO V4 92	92	216	62	singlefin	US Box	MFC GE - 18	4.0/5.7
Style PRO V4 101	101	221	64	singlefin	US Box	MEC GE - 20	4 2/6 0

WCSL SLALOM

AERO PRO FOIL RACE



REVO
PERFORMANCE FREERACE



PERFORMA PRO / GLS PERFORMANCE FREERIDE











MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
World Cup Slalom 89	89	235	61	singlefin	Short Tuttle Box	No Fin	4.7/7.0
World Cup Slalom 99	99	235	63	singlefin	Short Tuttle Box	No Fin	5.4/7.8
World Cup Slalom 109	109	235	70	singlefin	Short Tuttle Box	No Fin	6.3/8.6
World Cup Slalom 119	119	235	72	singlefin	Short Tuttle Box	No Fin	7.0/9.0
World Cup Slalom 129	129	229	83	singlefin	Deep Tuttle Box FOIL PROOF	No Fin	7.8/9.8
World Cup Slalom 139	139	229	85	singlefin	Deep Tuttle Box FOIL PROOF	No Fin	8.4/10.5

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Aero PRO	159	229	91	singlefin	Deep Tuttle Box FOIL PROOF	-	-

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Aero	122	225	75	singlefin	Deep Tuttle Box FOIL PROOF	-	-

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Revo 110	110	236	71	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 40	5.0/8.0
Revo 122	122	236	82	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 44	6.0/9.0
Revo 135	135	236	85	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 46	6.5/10.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Performa PRO 105	105	237	71	singlefin	Power Box	MFC Liquid Pro G-10 40	5.0/8.0
Performa PRO 115	115	237	76	singlefin	Power Box	MFC Liquid Pro G-10 44	5.5/8.5
Performa PRO 130	130	237	82	singlefin	Power Box	MFC Liquid Pro G-10 46	6.0/9.0
Performa PRO 145	145	239	87	singlefin	Power Box	MFC Liquid Pro G-10 48	6.5/10.0

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE	
Performa GLS 115	115	237	76	singlefin	Power Box	MFC Liquid Pro G-10 44	5.5/8.5	
Performa GLS 130	130	237	82	singlefin	Power Box	MFC Liquid Pro G-10 46	6.0/9.0	
Performa GLS 145	145	239	87	singlefin	Power Box	MFC Liquid Pro G-10 48	6.5/10.0	

High-precision CAD/CAM CNC shape.

15kg/m3 EPS core.

Full 100 kg/m3 PVC performance sandwich construction (3mm deck / 5mm bottom).

Double Pvc sandwich in the most stressed areas for excellent compression strength.

Carbon-Innegra/S-glass deck layup for maximum durability and strength designed with the correct flex for pure wave-riding applications.

Full 160 S-glass bottom layup for the correct flex during hard turns and jump landings.

6" Slot rear fin boxes + 4" Slot front fin boxes.

Dual density footpads with shock absorbers.

MFC KS300 quad fins set.



# KS MODEL

WAVE CORE

#### INTRODUCTION

Choosing a wave board must be carefully considered based on the average conditions of use and the rider's ability. Some boards leave no room for compromise and the KS model fits this category.

In terms of radical down-the-line wave riding, simply said, the KS is the best production board the global market can offer today. The international magazine test results prove it.

The 2019 KS maintains a smooth rockerline and compact shape concept, with a perfect balance of foot stance volume in all sizes, with a few minor updates. Excellent maneouverability and stability even in the most critical sections of the wave are the hallmarks of this pure wave machine meaning the limits of the KS in providing exhilarating wave riding are fundamentally endless.

#### **TECHNICAL FEATURES**

· Short length concept: The upgraded KS model boards 100% reflect Kauli's prototypes.

They have the same lengths compared to the 2018 models. Same positioning of the footstrap inserts, fin box and mast box, making the boards super reactive in down the line sailing and allowing the rider to attack the very critical part of the wave in the "pocket". The swallow tail makes the board even more reactive in top turns!

- · All volumes distributions fit the shape perfectly, a key technical component, with increased thickness on the back foot to stand more vertically while sailing. Rails in the nose area have the correct curvature and aggressive tuck lines to increase performance especially in round house cut backs.
- · **Hull**. A double concave fading into a single concave toward the tail has been confirmed through detailed testing as the best compromise between easy sailing and control on the wave face.
- · Construction: A PVC double sandwich, with double thickness in the most stressed areas combined with a biax carbon / Innegra deck layup along with our new 100% S-Glass bottom layup gives the boards the best compromise in terms of light weight, strength and durability.
- · MFC KS 300 fins. We supply the KS model boards with Kauli's personal fins, undoubtedly that they are the best available fins for the KS model: simply magic and working exceptionally well in a variety of conditions representing the ultimate in wave riding fin design.

CONCLUSION - The new KS Model is confirmed by worldwide tests as the best choice for those who want a very radical board to travel around the world in search of the perfect wave.

Performing very well in side/side-on conditions, the board offers its best attributes in side/side-off conditions. You will be amazed about how good your bottom turns are with insane cut backs.

If you are searching for boards that allow to push your ability to excel in waves to the limit, there it is.

Mo	ODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
K	(S 71	71	219	55	5,55	Quad	Slot Box	MFC KS 13+9	3.5/5.0
к	(S 79	79	221	57	5,65	Quad	Slot Box	MFC KS 14+9	3.7/5.3
К	KS 87	87	223	59	5,85	Quad	Slot Box	MFC KS 15+9	4.0/5.6
K	(S 95	95	225	61	6,10	Quad	Slot Box	MFC KS 16+9	4.5/6.0



High-precision CAD/CAM CNC shape15kg./m3 EPS core.

Full PVC performance sandwich construction (3mm deck / 5mm bottom).

Double PVC sandwich in the most stressed areas for excellent compression strength.

Full carbon/innegra deck + T700 biax carbon step area layup for maximum durability and strength, especially from landing hard jumps.

Full 160 S-glass bottom layup for the correct flex during hard turns and hard landings.

6" Slot rear fin boxes + 4" Slot front fin boxes.

Dual density footpads with shock absorbers.

MFC TF thruster fin set.

# CHAMELEON

### WAVE MULTIFIN

#### INTRODUCTION

The name says it all. An extraordinary ability to adapt to all wind and wave situations: from onshore to side offshore, the Chameleon is always a top performer, partly thanks to it's multi fins configuration options, which allow it to adapt not only to the condition, but also to the rider style as well.

Needless to say this complete all-around wave board range is still ranked on top of the most important international wave board test!

#### **TECHNICAL FEATURES**

- · The now famous 5 slot fin box configuration, allows to set the board with Quad, Thruster or even Twin fins set up to adapt and satisfy riders in any kind of condition and wave style.
- · **Short length concept**: As with the KS Model, the Chameleon range is composed by compact shape boards in perfect balance with the footstraps, fin boxes and mast foot bringing a wider range of optimised performance.
- Outline: The outline has a wide tail to support riders and their power combined with the footstraps being close to the tail. The result is to make the board "pivot" into tighter bottom turns and with more aggressive cut backs
- · **Rockerline**: The most important technical mandate when designing an 'all-round' wave board. We wanted a fast rockerline for quick planing and acceleration without sacrificing manoeuvrability and wefinally achieved the perfect compromise through extensive testing and listening to the feedback of our customers.
- **Hull**: A concave bottom fading into a double concave then a deep V towards the tail, we feel this is the perfect combination to have an easy but fast board with very good control in choppy wave faces.
- Construction: A PVC double sandwich, with double thickness in the most stressed areas combined with a full carbon/Innegra + biax carbon 'strong deck layup' gives the boards the best compromise in terms of light weight, strength and durability.
- · Chameleon boards come with an MFC thruster set considered as the best wave all-round product on the market.

Conclusion - The Chameleon 2019 is still the perfect all-round wave board for those who want a unique single product without the stress of having to choose between multiple boards. Wherever you sail, from the Mediterranean to Hawaii, the Chameleon is the choice for you!

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Chameleon 5X 70	70	218	54,5	5,9	Multifin	Slot Box	MFC / TF RTM – Epoxy Car- bon Thruster Set 15+10	3.5/4.7
Chameleon 5X 78	78	221	55,5	6,0	Multifin	Slot Box	MFC / TF RTM – Epoxy Car- bonThruster Set 16+10	3.7/5.3
Chameleon 5X 85	85	224	58,5	6,3	Multifin	Slot Box	MFC / TF RTM – Epoxy Car- bon Thruster Set 17+11	4.0/5.7
Chameleon 5X 93	93	227	60,5	6,6	Multifin	Slot Box	MFC / TF RTM – Epoxy Car- bon Thruster Set 18+11	4.2/6.0
Chameleon 5X 101	101	230	62,5	7,1	Multifin	Slot Box	MFC / TF RTM – Epoxy Car- bon Thruster Set 19+12	4.2/7.0

High-precision 5-axis CAD/CAM CNC shape 15kg/m3 EPS core.

Full T700 biax carbon lightweight deck lamination layup for max. compression strength and structural stability.

Double PVC sandwich in the most stressed areas for excellent compression strength.

100 kg/m3 PVC full bottom and deck sandwich for maximum durability and compression strength resistance, no wood!

Full 160 S-glass bottom layup for the correct flex during hard turns and jump landings.

Powerbox centre fin, 2 x slot box side fins.

Dual density footpads with shock absorbers.

MFC FW G10 centre fin with MFC TF side fins.



# STYLE PRO WAVE

### PERFORMANCE FREESTYLE WAVE

#### INTRODUCTION

Performance Freestyle Wave enters the next dimension! The all-new 2019 Style Pro Wave is a collection of boards that will be the envy of the market.

Smooth outlines and bottom curves, exquisitely shaped rails, fast rocker lines and beautifully technical and functional tail designs, these are the main features that headline our all-new 'modern' FSW collection.

#### **TECHNICAL FEATURES**

- · 'Curved Swallow Design': Testing revealed that a wide tail at the back foot combined with a quickly narrowing outline towards our uniquely designed swallow tail released excess pressure and greatly increased the manoeuvrability and wind range of the Style Pro Wave.
- Fast rocker lines: Our WCSL slalom rocker 1-1 up until 200cm from the tail blending into additional kick to the nose to handle the waves and chop. Faassst and easy, but still remarkably manoeuvrable! Exactly what you the customer require for a FSW board.
- Balanced rail curves: Shaping a FSW rail is harder than it seems. Some brands go for a very wave oriented design but this limits light wind power and upwind ability. Other brands go for a more free ride rail but this can limit the turning ability. Designer Finian Maynard has made a fantastic compromise, so the Style Pro Wave has the grip and power to handle the basics but still turns great in small waves with control in the chop.
- **Detailed volume distribution**: 'Modern' generation FSW boards generally have more volume under the back foot to help planing, aid in the use of powerbox fins and to increase wind range, so our new boards are not unique in this point. However we focused a lot on the volume flow from the front foot to the nose that has been meticulously designed to help the rider overcome non-planing and planing nose plunging, a common problem for intermediate FSW sailors who are introducing themselves to waves.

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Style Pro Wave 86	86	226	58.5	6,3	thruster	Power Box + Slot Box	MFC Freewave 21 + TF 10	3.5/6.0
Style Pro Wave 95	95	228	61.5	6,4	thruster	Power Box + Slot Box	MFC Freewave 22 + TF 12	3.7/6.3
Style Pro Wave 104	104	230	63	6,5	thruster	Power Box + Slot Box	MFC Freewave 23 + TF 12	4.0/6.8
Style Pro Wave 113	113	232	66	7,2	thruster	Power Box + Slot Box	MFC Freewave 25 + TF 12	4.2/7.0

High-precision CAD/CAM CNC shape.

Full wood/160 glass deck layup.

Full wood/160 glass bottom layup.

Single Powerbox to hold MFC freewave fins.

Dual density footpads with shock absorbers.

New MFC Freewave fin.



# STYLE WAVE

# FREESTYLE WAVE

#### INTRODUCTION

What is the main task that a freestyle wave board must perform? It's very simple: allow all those who want to start to sail in the waves, with the first jumps and rides, but at the same time to love to sail fast with control before launching into a tight and radical jibe and why not, inserting a spock, a grubby or a flaka in here and there completes the fun spectrum.

The Style Wave allows you to do it all easily, it's simply the most versatile FSW shape on the market.

#### **TECHNICAL FEATURES**

- · The full, flat oriented rockerline in the tail section offers immediate acceleration and glide with an excellent top speed, with control.
- · A medium wide and balanced outline and a V double concave hull and an all-new rail shape have been designed for the feeling and manoeuvrability of a wave board, whilst staying very stable under the feet.

  This is achieved by shifting the maximum width forward for a better ride in the waves combined with rails that have more volume further forward for added buoyancy in non-wave conditions.
- · Construction: A PVC double sandwich, with double thickness in the most stressed areas combined with a full carbon/innegra deck layup giving the boards the best compromise in terms of light weight, strength and durability

	MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
/	Style Wave 86	86	231	59	6,9	singlefin	US Box	MFC Freewave 23	3.5/6.0
	Style Wave 95	95	233	61	7,2	singlefin	Power Box	MFC Freewave 25	3.7/6.3
	Style Wave 104	104	235	63	7,4	singlefin	Power Box	MFC Freewave 28	4.0/6.8
	Style Wave 113	113	236	65	7,8	singlefin	Power Box	MFC Freewave 30	4.2/7.0

High-precision CAD/CAM CNC shape15kg./m3 EPS core.

Full PVC performance sandwich construction (3mm deck / 5mm bottom).

Double PVC sandwich in the most stressed areas for excellent compression strength.

Full carbon/innegra deck + T700 carbon biax step area layup for maximum durability and strength, especially from landing hard jumps.

Full 160 S-glass bottom layup for the correct flex during hard turns and hard landings.

Dual density footpads with shock absorbers.

New MFC GE fin.



# STYLE PRO

# FREESTYLE

#### INTRODUCTION

The I-99 freestyle team has expressed the desire that for 2019 the Style Pro was not to be touched in terms of the shape because they were very pretty happy with its amazing performances.

The Style Pro is a competition freestyle board with enormous potential in terms of early planing and acceleration. This combined with an impressive top speed yields huge pop and power trick capabilities.

Keeping with the same successful look, the 2019 Style Pro represents the best board available for the ultimate freestyle PWA riders and also for those who want a very reactive freestyle board to enjoy their long daily sailing sessions!

#### **TECHNICAL FEATURES**

- · The full, flat oriented rockerline in the tail section offers immediate acceleration and glide with an unbelievable top speed.
- · A medium wide and balanced outline and a V double concave hull and an all-new rail shape have been designed for the feeling and manoeuvrability of a wave board, whilst staying very stable under the feet. This is achieved by shifting the maximum width forward for a better ride in the waves combined with rails that have more volume further forward for added buoyancy in non-wave conditions.
- $\cdot$  Construction: A PVC double sandwich, with double thickness in the most stressed areas combined with a full carbon/innegra deck layup giving the boards the best compromise in terms of light weight, strength and durability.
- $\cdot$  Convertible fin set up on the two small sizes, the 86, 95 and 104, for all-around wave usage or for freewave bump and jump sessions!

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Style Pro V4 92	92	216	62	6,9	singlefin	US Box	MFC GE - 18	4.0/5.7
Style Pro V4 101	101	221	64	7,1	singlefin	US Box	MFC GE - 20	4.2/6.0





- · High-precision 5-axis CAD/CAM CNC shape.
- · 'Optimised reinforcements': no short-cuts, much less cheap glass fiber than our competitors inside and outside the PVC sandwich. All key reinforcements throughout the board are carbon, the entire standing area underneath the deck PVC is biax carbon, and the result is a range

of slalom boards that are lighter and stronger than 2018!

- · 80 kg/m3 PVC full deck and bottom sandwich for a lightweight yet stiff construction.
- Full UD unidirectional carbon bottom layup for maximum stiffness and performance.



# WORLD CUP SLALOM

### COMPETITION STALOM

#### INTRODUCTION

The 2019 World Cup SL board range from I-99 is the continuation of most innovative range of windsurfing slalom boards ever made, with several significant construction upgrades to the layups that further increase performance and control compared to the 2018 range.

Continuous testing revealed that how the boards are constructed (where and how much the boards flex) had almost as much influence on the performance and 'feel' as the actual design itself. So the focus of the testing team during the past winter was to test various versions of completely re-designed layups in all models, resulting in a range of slalom boards that were undoubtedly the best product any of the team had ever sailed!

#### TECHNICAL FEATURES

- 'Model Specific Layups': Each model for 2019 has a custom layup according to the normal wind range and use of that model, which is a departure from past ideology whereby the whole range was designed with fundamentally the same layups and materials. Testing has revealed big gains in this new approach!
- 'V Star Tail' fin plate release system: Behind the fin is the most critical location to gain or lose performance in modern slalom boards. With our new V Star Tail a new level of understanding has been achieved to create what the 99 testing team believe is a game changer in terms of the potential to reach massive top speeds and insane acceleration!
- 'World Cup Vector Cuts': It is no secret that the key performance criterium for the modern slalom boards lays mostly in the relationship between the cutouts design and the scoop rockerline/bottom shape. How a designer combines these three parameters, unlocks the ultimate performance gains available at the World Cup PWA level. Aside from the V Star Tail upgrade, the new cutouts compared to 2017 are refined particularly in the 'fin plate zone' next to the fin, which has been significantly reduced on all models, and also to the 'curved wings outside cutout zone', which has also been made narrower on selected models.
- 'Power pads': Newly design rear foot pads that raise the toe side of the foot to enable more access to the fin power in light wind and also gain control in the strong winds as the foot remains stable even in the strongest gusts.
- 'Foil Proof' fin box (129 & 139 only): Our exclusive layup foil box is as strong as it gets whilst still being lightweight. You can feel confident to put any foil in any wind into our 129 or 139 WCSL boards.
- Refined scoop-rocker lines and vee planforms in all sizes that have increased the top speed, usable power and reactivity of all WCSL models

**THE R&D RESULT** - The testing results were blowing our minds, literally board lengths of speed were gained without any loss of control. Additionally control was also increased due to the new model specific layups approach, particularly when the gust arrives as the nose stays down and the hyper speed feeling takes over!

SUMMARY: The new range of WCSL boards continue to be the masterpieces of our Company, whereby continuous testing and R&D in the 'wind machine' of Tarifa results in boards that are simply more technically advanced than our competitors.

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
World Cup Slalom 89	89	235	61	5,9	singlefin	Short Tuttle Box	No Fin	4.7/7.0
World Cup Slalom 99	99	235	63	6,1	singlefin	Short Tuttle Box	No Fin	5.4/7.8
World Cup Slalom 109	109	235	70	6,3	singlefin	Short Tuttle Box	No Fin	6.3/8.6
World Cup Slalom 119	119	235	72	6,6	singlefin	Short Tuttle Box	No Fin	7.0/9.0
World Cup Slalom 129	129	229	83	7,2	singlefin	Deep Tuttle Box FOIL PROOF	No Fin	7.8/9.8
World Cup Slalom 139	139	229	85	7,5	singlefin	Deep Tuttle Box FOIL PROOF	No Fin	8.4/10.5

High-precision 5-axis CAD/CAM CNC shape.

Full T700 biax carbon lightweight deck lamination layup for max. compression strength, performance and structural stability.

80 kg/m3 PVC full deck and bottom sandwich for a lightweight yet stiff construction.

Additional high-strength reinforcements in all foot heel and high load areas (mast track, fin box, footstrap inserts).

Full UD unidirectional carbon bottom layup for maximum stiffness and performance.

Foil Proof tuttle box.





# AERO PRO

# FOIL RACE

#### INTRODUCTION

Professional grade dedicated foil racing board, we introduce to the market the innovative Aero Pro!

The new discipline is here and it is about to revolutionise how we approach light wind windsurfing worldwide.

The Aero Pro epitomises all the features required for speed, control and comfort while racing on top of the ocean.

#### **TECHNICAL FEATURES**

- Full outline concept: Power is the name of the game in this exciting new discipline, meaning riders are trying to get as much air under the board as possible while pointing upwind and downwind, as this creates lift and angle in both directions. This results in an exceptionally 'full' outline in the nose with an increased scoop rocker line to 'cup' the wind. The Aero Pro also has a very wide tail, which serves the purpose of creating back foot leverage over the foil, ultimately making the board easier to ride, comfortable and faster.
- The revolutionary all-new 'HydroPlane' bottom shape concept: The nose starts flat with no vee to sit the board square in the water maximising the planing surface at low speeds, which quickly transitions into a significant vee planform with a very deep double concave under the mast track area. This helps hydrodynamically channel the water towards the tail of the board before planing and aerodynamically channels the air of the board after planing. Towards the tail the strong vee quickly transitions into an inverted vee shape between the feet, this keeps the outside rail line in the 'water power zone' straighter than a normal vee board, which we found drastically increases the control and side-to-side stability at speed. Feeling is believing!
- 'Aero Rail Design': Sharp vertical rails from nose to tail are prevalent from the waterline until halfway up the rail to assist planing and to 'cut' the water when touching down especially at an angle. Then a sharp but aerodynamically friendly transition exists in the rail shape with a very smooth curve that is designed to be as drag free and efficient as possible whilst flying in the air and to also be with maximum comfort for the arch of the foot, a critical point while foiling.
- Foil footstrap inserts: Race foiling requires the front foot to be further back than a slalom board, meaning the foot stance is very close to keep the board always on trim and the rider weight over the foil at all times, this increases control. Additionally we have well placed chicken straps for windy cross and downwind reaches

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Aero PRO	159	229	91	8,9	singlefin	Deep Foil Tuttle		7.8/11.0

High-precision 5-axis CAD/CAM CNC shape.

Full T700 biax carbon lightweight deck lamination layup for max. compression strength, performance and structural stability.

80 front/100 rear kg/m3 PVC full deck and 80 kg/m3 bottom sandwich for a lightweight yet stiff and durable construction.

Double PVC sandwich under the heels and gybe area for sustained durability and strength.

Additional high-strength reinforcements in all foot heel and high load areas (mast track, fin box, footstrap inserts).

Full UD unidirectional carbon bottom layup for maximum stiffness and performance.

Foil Proof tuttle box.





# **AERO**

# FOIL FREERIDE

#### INTRODUCTION

Performance freeride meets the air!

Superb testing results, ease of use, perfect for learning to foil with a compromise between foil racing and normal planing hull designs making the Aero Freeride a must for all those who want to experience this wonderful new windsurfing feeling!

#### **TECHNICAL FEATURES**

- The revolutionary all-new 'HydroPlane' bottom shape concept: The nose starts flat with no vee to sit the board square in the water maximising the planing surface at low speeds, which quickly transitions into a significant vee planform with a very deep double concave under the mast track area. This helps hydrodynamically channel the water towards the tail of the board before planing and aerodynamically channels the air of the board after planing. Towards the tail the strong vee quickly transitions into an inverted vee shape between the feet, this keeps the outside rail line in the 'water power zone' straighter than a normal vee board, which we found drastically increases the control and side-to-side stability at speed. Feeling is believing!
- 'Aero Rail Design': Sharp vertical rails from nose to tail are prevalent from the waterline until halfway up the rail to assist planing and to 'cut' the water when touching down especially at an angle. Then a sharp but aerodynamically friendly transition exists in the rail shape with a very smooth curve that is designed to be as drag free and efficient as possible whilst flying in the air and to also be with maximum comfort for the arch of the foot, a critical point while foiling.
- Foil footstrap inserts: Race foiling requires the front foot to be further back than a slalom board, meaning the foot stance is very close to keep the board always on trim and the rider weight over the foil at all times, this increases control. Additionally we have well placed chicken straps for windy cross and downwind reaches

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Aero	122	225	71	TBC	singlefin	Deep Foil Tuttle		-

High-precision 5-axis CAD/CAM CNC shape.

Full T700 biax carbon lightweight deck lamination layup for max. compression strength, performance and structural stability.

80 kg/m3 PVC full deck and bottom sandwich for a lightweight yet stiff construction.

Double PVC sandwich under the heels and gybe area for sustained durability and strength.

Additional high-strength reinforcements in all foot heel and high load areas (mast track, fin box, footstrap inserts).

Full UD unidirectional carbon bottom layup for maximum stiffness and performance.





# REVO

### PERFORMACE FREERACE

#### INTRODUCTION

World Cup slalom meets performance freeride. The design mandate was to create a high-performance slalom style board that behaved more like a performance freeride board in the manoeuvres and with excellent overall stability to enhance the user experience on the water.

In 2018 we introduced the Revo, which combines the use of our proven fast WCSL scoop-rocker lines in all models combined with a host of new features that enables the rider to experience the thrill of true slalom speed, whilst being in complete control and comfort!

For 2019 only one contruction layup and a new graphic to be on top of the category!

#### **TECHNICAL FEATURES**

- The revolutionary all-new 'HydroPlane' bottom shape concept: The nose starts flat with no vee to sit the board square in the water maximising the planing surface at low speeds, which quickly transitions into a significant vee planform with a very deep double concave under the mast track area. This helps hydrodynamically channel the water towards the tail of the board before planing and aerodynamically channels the air of the board after planing. Towards the tail the strong vee quickly transitions into an inverted vee shape between the feet, this keeps the outside rail line in the 'water power zone' straighter than a normal vee board, which we found drastically increases the control and side-to-side stability at speed. Feeling is believing!
- 'UltraTuck' all-new rail design concept: During the development process the more tuck we tested, the better the boards performed, in particular with incredibly easy gybing and overall comfort especially in choppy conditions. So the final designs incorporated almost as much bottom rail tuck as the 5-axis machine would comfortably shape. Whilst the top rail shape is a gentle sloping dome that is very comfortable to step anywhere on the upper deck whether during planing or non-planing conditions.
- 'Freerace Vector Cuts': Tail cutouts are here to stay in all future windsurfing flatwater board designs regardless of category. The overall performance gain is unmistakable not only with basic points like less spinouts, but they help initiate the required release around the fin to get planing earlier and accelerate effortlessly. Once planing the cutouts significantly reduce the amount of back leg pressure that always increases with speed. The Revo tail cutouts have a similar design style to the Performa freeride models, but with more release and built in acceleration/speed, whilst at the same time still having enough grip and low-end power to accommodate the competitive freerace market. The inside cutouts end parallel to the front of the fin box and the performance critical 'fin plate' zone next to the fin is reduced in area compared to the Performa, resulting in higher speeds. Additionally the entire cutout system is single level at 10mm deep, which is the ideal compromise compared to our double level full on racing World Cup slalom style cut outs concept.
- 'Foil Proof' fin box (on all models): Our exclusive layup foil box is as strong as it gets whilst still being lightweight. You can feel confident to put any foil in any wind into all models of our Revo.

THE R&D RESULT - Faaast and easy! We were pleasantly surprised to see in the head-to-head testing that the Revo was only very slightly slower than our proven fast 2017 WCSL models, but at the same time exhibiting such an easy ride that gybes incredibly well!

SUMMARY - If you are in the hunt for a board that delivers high-end slalom type performance, whilst remaining calm and stable on the water, and furthermore executing gybes and maneauvers effortlessly, then the 2019 Revo is the right choice for you

	MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
J	Revo 110	110	236	71	7,5	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 40	5.0/8.0
	Revo 122	122	236	82	7,85	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 44	6.0/9.0
	Revo 135	135	236	85	8,2	singlefin	Deep Tuttle Box FOIL PROOF	MFC Race G-10 46	6.5/10.0

High-precision 5-axis CAD/CAM CNC shape.

Full T700 biax carbon lightweight deck lamination layup for max. compression strength, performance and structural stability.

100 kg/m3 PVC full bottom and 80 kg/m3 deck sandwich for maximum durability and compression strength resistance.

Double PVC sandwich under the heels and gybe area for sustained durability and strength.

Additional high-strength reinforcements in all foot heel and high load areas (mast track, fin box, footstrap inserts).

Ding resistant glass 160 gsm bottom layup. Full UD unidirectional carbon bottom layup for maximum stiffness and performance.

MFC G10 Liquid Pro freeride fin.



# PERFORMA PRO

### PFRFORMACE FRFFRIDE

#### INTRODUCTION

The name says it all, welcome to the new reference in the freeride market, whereby the focus of the design mandate was to create something special for the intermediate sailor. Thorough testing of rival products on the market revealed a clear shortcoming; slow to plane/accelerate and limited top speeds. Not anymore! The Performa breaks through freeride performance barriers to reveal a range of boards that are super easy, plane exceptionally early, gybe effortlessly and have excellent stability once planing. A freerider's dream!

#### TECHNICAL FEATURES

- The revolutionary all-new 'HydroPlane' bottom shape concept: The nose starts flat with no vee to sit the board square in the water maximising the planing surface at low speeds, which quickly transitions into a significant vee planform with a very deep double concave under the mast track area. This helps hydrodynamically channel the water towards the tail of the board before planing and aerodynamically channels the air of the board after planing. Towards the tail the strong vee quickly transitions into an inverted vee shape between the feet, this keeps the outside rail line in the 'water power zone' straighter than a normal vee board, which we found drastically increases the control and side-to-side stability at speed. Feeling is believing!
- 'UltraTuck' all-new rail design concept: During the development process the more tuck we tested, the better the boards performed, in particular with incredibly easy gybing and overall comfort especially in choppy conditions. So the final designs incorporated almost as much bottom rail tuck as the 5-axis machine would comfortably shape. Whilst the top rail shape is a gentle sloping dome that is very comfortable to step anywhere on the upper deck, whether during planing or non-planing conditions.
- 'Freeride Vector Cuts': Tail cutouts are here to stay in all future windsurfing flatwater board designs regardless of category. The overall performance gain is unmistakable not only with basic points like less spinouts, but they help initiate the required release around the fin to get planing earlier and accelerate effortlessly. Once planing the cutouts significantly reduce the amount of back leg pressure that always increases with speed, resulting in a much easier ride that leads to additional sailing hours on the water.

For 2019 the Performa PRO tail cutouts have the ideal blend between having enough release, but at the same time enough grip/torque and lowend power. This is achieved from having the largest 'fin plate' area next to the fin in our flatwater range, whilst the inside cutouts end parallel to the middle of the fin box, thus leaving the correct amount of planing surface for a freeride board in front of the leading edge of the fin.

**THE R&D RESULT** - Ultra fast for a freeride board and easy planing, combined with incredible side-to-side stability in all wind ranges. These are the most important points when considering modern freeride boards.

SUMMARY - The final testing results on the water were honestly excellent, and the test team was truly excited to release these trend-setting and fully original designs into the marketplace!

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Performa PRO 105	105	237	71	7,2	singlefin	Power Box	MFC Liquid Pro G-10 40	5.0/8.0
Performa PRO 115	115	237	76	7,5	singlefin	Power Box	MFC Liquid Pro G-10 44	5.5/8.5
Performa PRO 130	130	237	82	7,9	singlefin	Power Box	MFC Liquid Pro G-10 46	6.0/9.0
Performa PRO 145	145	239	87	8,6	singlefin	Power Box	MFC Liquid Pro G-10 48	6.5/10.0



High-precision 5-axis CAD/CAM CNC shape.

100 kg/m3 PVC full bottom and 80 kg/m3 deck sandwich for maximum durability and compression strength resistance.

Double PVC sandwich under the heels and gybe area for sustained durability and strength. Additional high-strength reinforcements in all foot heel and high load areas (mast track, fin box, footstrap inserts).

Ding resistant glass 160 gsm bottom layup. Full UD unidirectional carbon bottom layup for maximum stiffness and performance.

MFC G10 Liquid Pro freeride fin.



# PERFORMA GLS

### PFRFORMACE FRFFRIDE

#### INTRODUCTION

The name says it all, welcome to the new reference in the freeride market, whereby the focus of the design mandate was to create something special for the intermediate sailor. Thorough testing of rival products on the market revealed a clear shortcoming; slow to plane/accelerate and limited top speeds. Not anymore! The Performa breaks through freeride performance barriers to reveal a range of boards that are super easy, plane exceptionally early, gybe effortlessly and have excellent stability once planing. A freerider's dream!

#### **TECHNICAL FEATURES**

- The revolutionary all-new 'HydroPlane' bottom shape concept: The nose starts flat with no vee to sit the board square in the water maximising the planing surface at low speeds, which quickly transitions into a significant vee planform with a very deep double concave under the mast track area. This helps hydrodynamically channel the water towards the tail of the board before planing and aerodynamically channels the air of the board after planing. Towards the tail the strong vee quickly transitions into an inverted vee shape between the feet, this keeps the outside rail line in the 'water power zone' straighter than a normal vee board, which we found drastically increases the control and side-to-side stability at speed. Feeling is believing!
- 'UltraTuck' all-new rail design concept: During the development process the more tuck we tested, the better the boards performed, in particular with incredibly easy gybing and overall comfort especially in choppy conditions. So the final designs incorporated almost as much bottom rail tuck as the 5-axis machine would comfortably shape. Whilst the top rail shape is a gentle sloping dome that is very comfortable to step anywhere on the upper deck, whether during planing or non-planing conditions.
- 'Freeride Vector Cuts': Tail cutouts are here to stay in all future windsurfing flatwater board designs regardless of category. The overall performance gain is unmistakable not only with basic points like less spinouts, but they help initiate the required release around the fin to get planing earlier and accelerate effortlessly. Once planing the cutouts significantly reduce the amount of back leg pressure that always increases with speed, resulting in a much easier ride that leads to additional sailing hours on the water.

For 2019 the Performa GLS tail cutouts have the ideal blend between having enough release, but at the same time enough grip/torque and lowend power. This is achieved from having the largest 'fin plate' area next to the fin in our flatwater range, whilst the inside cutouts end parallel to the middle of the fin box, thus leaving the correct amount of planing surface for a freeride board in front of the leading edge of the fin.

**THE R&D RESULT** - Ultra fast for a freeride board and easy planing, combined with incredible side-to-side stability in all wind ranges. These are the most important points when considering modern freeride boards.

SUMMARY - The final testing results on the water were honestly excellent, and the test team was truly excited to release these trend-setting and fully original designs into the marketplace!

MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Performa GLS 115	115	237	76	8,45	singlefin	Power Box	MFC Liquid Pro G-10 44	5.5/8.5
Performa GLS 130	130	237	82	8,9	singlefin	Power Box	MFC Liquid Pro G-10 46	6.0/9.0
Performa GLS 145	145	239	87	9,4	singlefin	Power Box	MFC Liquid Pro G-10 48	6.5/10.0





# **PRIMO**

# SCHOOL & ENTRY CONCEPT

#### INTRODUCTION

With the Primo Concept Series we wanted to offer a specific range of boards purely dedicated to windsurfing schools and for everyone to learn and progress in our water-sports. The range consists of 3 daggerboard models with a full EVA deck pad and a new innovative construction process that guarantees maximum strength and durability. The Primo Series 235, 200 and 165, covers all possible requirements, from beginners without any weight or age limit, to riders that are approaching the 'funboard' side of the sport. The series is completed by a 10'9" Sup board for a relaxed cruising on windless days.

#### TECHNICAL FEATURES

- · CAD-CAM designed
- ASA Moulding shell bottom
- Soft PE full wrap deck
- · Glass crossed bers lamination
- Glass chop strand reinforcements on more stressed areas
- PVC freeride fin
- Multiple footstrap insert positions
- Full wrap EVA deck with nose bumper and rail band

#### PRIMO 165

This modern board concept with significantly less volume is aimed at beginners, but especially children and women. Even for those who start to approach the funboard, thanks to its water lines it's perfect for learning from basic techniques to planing moves. The daggerboard offers maximum stability with light winds and makes upwind sailing a bit more easier, even on the most wind days.

#### PRIMO 200

A modern and innovative shape, designed to make windsurfing as easy as possible! Extremely stable, forgiving in tacks and jibes and early maneuvering, the Primo200 is the easiest and fastest way to learn windsurfing today!

#### PRIMO 235

Age and weight are no longer a limit to learn windsurf in the best way. The Primo235 has been specifically designed to allow heavier people or with a lack of balance, to be able to learn with astonishing simplicity all the basic techniques.

#### PRIMO 10'9"

The Primo10'9" is an extremely easy SUP. Great stability for entry-level requirements, for the first steps on a SUP. Its classic all-round shape facilitates the glide and meets all levels of experience. It is a perfect cruiser for the whole family and for the first approaches with small waves.

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Primo 165	165	260	79	Singlefin + daggerboard	Power Box	I-99 PVC 36	1.0/8.0
Primo 200	200	280	91	Singlefin + daggerboard	Power Box	I-99 PVC 36	1.0/8.0
Primo 235	154	9'6"	100	Singlefin + daggerboard	Power Box	I-99 PVC 36	1.0/8.0
Primo Sup 10'9"	200	10'9"	33"	Singlefin	US Box	I-99 PVC 9.25"	-









# DUO RIG

# 5 PCS. MAST COMPACT RIG

#### INTRODUCTION

Together with the hardtail+inflatable Duo boards' series, the DUO FUNCTIONAL RIG becomes the most versatile combination ever for your performance with very easy transport and hand carry. In very few minutes, inflate, rig-up an be out there!

#### TECHNICAL FEATURES

The DUO FUNCTIONAL RIG comes available with a sail choice of a 6.3m. or 5.3m. made of Dacron and clear Mono-film.

The short-batten system helps the sail light-weight and to be incredibly very fast rigg & de-rigg, immediately foldable and stowed on to its designed compact backpack together with the rigg components.

Our innovative MSS (mast-sleeveless-system) without the mast sleeve allow the DUO sail a super-light-feel and very easy handling on your water starting as well as standing up-haulling start-ups avoiding draining out water.


#### RIGG COMPONENTS:

- sail size (choose) 5.3m. or 6.3m.
- 5 pieces 430 cm RDM carbon/epoxy mast
- 3 pcs. aluminium vario boom 160/200 cm
- RDM 32cm. aluminium adjustable extension

backpack 110x60 cm.

One bag fits all. Windsurfing has never been so easy!















# DUO WIND

### HARDTAIL INFLATABLE FREERIDE

#### INTRODUCTION

The windsurfing DUO hard tail boards are considered to be a revolutionary innovation, which fit perfectly that ideal performance necessary to allow the board to be planing faster, and catch on the rails during speed jibes and turns.

One year of magazines and riders' tests confirm that's one of the most versatile boards on the market and mostly its unbelievable performances in foil surfing!

Thanks to its inflatable nose with more volume compared to the common freeride foiling boards, it doesn't dive when the board returns in the water after 'flying', avoiding easy catapults.

#### TECHNICAL FEATURES

- All the footstraps and fin boxes are uniformly integrated into the fiberglass section.
- · All the DUO WIND models can be stowed away inside a trolley bag and can be carried as a backpack or pulled on its wheels.
- · Composite board performance with inflatable transportability.
- · Hardboard riding feel in top speed, up-wind ability and maneuvers.
- Deep-Tuttle fin-box foil-proof for optional FOIL riding.
- Deep-Tuttle G10 40cm fin.
- Inflation within less than 30 seconds.
- Deflating and bag storage in less than 30 seconds.
- Easy transport and storage efficiency.
- Original footstrap inserts with M8 iron screws with specific mast PAD adapter.
- $\bullet$  Reduced pack size, fitted with a wheeled trolley bag.
- Airplane flight allowance check-in size.

The DUO WIND hard tails are fiberglass pressure molded, using high-density PVC sandwich composite, and laminated where necessary with carbon and bamboo.

**ELITE WIND** has more sophisticated graphics, and a polished painted hardtail that requires a lot of skill and time to build, like any high-end fiberglass board.

**ECO WIND** construction is featured with a simple one color deck-pad and minimal overall look.

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Duo WIND Elite/Eco 129	129	229	76	singlefin	Deep Tuttle Foil Proof	I-99 G10 4o cm.	4.0/8.0
Dup WIND Elite/Eco 140	140	259	78	singlefin	Deep Tuttle Foil Proof	I-99 G10 4o cm.	5.0/9.0







# **DUO WINDSUP**

# HARDTAIL INFLATABLE SUP/WS

#### INTRODUCTION

DUO WIND-SUP collection is a very complete board range, suitable for Stand-up paddling at all levels and in all conditions thanks to its variety of sizes available.

The additional mast foot system, specifically designed and developed with its adapter, is super fun for windsurfing sessions, from cruising to blasting bump&jump, including trendy style strapless wave sessions, when winds are light and you still don't want miss on the opportunity to ride the perfect wave.

#### TECHNICAL FEATURES

All the fiberglass hard tails are 3'6" long with Future fin boxes and a US central box, which are uniformly integrated in the fiberglass section. All the DUO WIND-SUP models can be stowed away inside a trolley bag and carried as a backpack or pulled on its wheels.

- · Composite board performance with inflatable transportability.
- Hardboard riding feel in wave turns, relaxed paddling and top speed.
- 4 Future Box + 1 center US BOX uniformly integrated in the fiberglass section (board comes with 4 PVC future fins only).
- OPTIONAL fin-box for FOIL (made to order on demand).
- Inflation within less than 30 seconds.
- Deflating and bag storage in less than 30 seconds.
- · Easy transport and storage efficiency.
- M8 iron screws with specific mast PAD adapter for winsurf mast-foot.
- · Reduced pack size, fitted with a wheeled trolley bag.
- Airplane flight allowance check-in size.

The DUO WINDSUP hard tails are fiberglass pressure molded, using high-density PVC sandwich composite, and laminated where necessary with carbon and bamboo.

**ELITE WINDSUP** has more sophisticated graphics, and a polished painted hardtail that requires a lot of skill and time to build, like any high-end fiberglass board.


ECO WINDSUP construction is featured with a simple one color deck-pad and minimal overall look.

MODEL	VOLUME	LENGTH	WIDTH	FIN TYPE	BOX TYPE	FINS	SAILS RANGE
Duo WINDSUP Elite/Eco 76	122	7'6"	29"	Multifin	US Box + Future side boxes	4 x PVC Future	-
Dup WINDSUP Elite/Eco 86	134	8'6"	30"	Multifin	US Box + Future side boxes	4 x PVC Future	-
Dup WINDSUP Elite/Eco 96	154	9'6"	31"	Multifin	US Box + Future side boxes	4 x PVC Future	-
Dup WINDSUP Elite/Eco 106	200	10'6"	33"	Multifin	US Box + Future side boxes	4 x PVC Future	-



Styrofoam type core.

Full epoxy deck.



# WINDSURFER LT. BY 1-99

# INTERNATIONAL WINDSURFING CLASS

#### INTRODUCTION

"I am honored to announce that we are part of the White Board Project, that truly reflect my history and where it all begun". Cesare Cantagalli

We will bring the One Desing logic with a wider free sailing approach and again the triangle racing amateur community, all at the same level of gear.

The main target here are Clubs and Schools as to allow them to create a community of fans and new addicted riders who will enjoy windsurfing at all levels even when the winds are very light.

A vintage flash-back will also allow us to motivate the current aged windsurfers who will be very happy to go back to old-day's emotions and be out there in any cruising mode.

#### **TECHNICAL FEATURES**

The one single size mould design, slightly revisited in shape and the Composite One Shot Technology allow the board to reduce weight significantly with improved effect on overall performances.

The dagger board with up-wind ability is a key factor here as to diversify and spread the targets of windsurfing approach from beginners to any level of cruising.

The Windsurfer LT. by I-99 Cesare Cantagalli will be available in the classic mode including the Windsurfer Class rule-sized registered dagger to compete on Windsurfer Class events or the option of a smaller dagger and deck-cover plate as to provide the convertible option for SUP cruising.

The optional rig components are completed by the original Windsurfer 5.7 m2 Mylar sail with a modern 30% carbon SDM mast and a vario aluminium boom.

٦	MODEL	VOLUME	LENGTH	WIDTH	WEIGHT +/-6%	FIN TYPE	ACCESSORIES	SAILS RANGE
	Windsurfer LT.	229	365.9	73.9	15	singlefin	Fin and fully retractable daggerboard	4.0/5.7









ELITE 9'2"
KIDS & SMALL WAVES



ELITE 9'10"
WAVE ALLROUND



ELITE 10'6" WAVE ALLROUND



WIND 10'6" ALLROUND & WINDSURF



ECO 10'6" ALLROUND



11' TOURING & FISHING



CORSA 12'6" CRUISING & RACING



iRESCUE 10'8"

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Toy 8'2"	110 lt. ca.	8'2" (250 cm.)	28" (72 cm.)	4" (10 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

MODEL	VOLUM	E LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 9'	<b>2"</b> 165 lt. ca	a. 9'2" (280 cm.)	31" (79 cm.)	4 3/4 (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 9'10"	180 lt. ca.	9'10" (300cm.)	31,5" (80cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 10'6"	194 lt. ca.	10'6" (320 cm.)	32" (81 cm.)	4 3/4 (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Wind 10'6"	243 lt. ca.	10'6"" (320cm.)	32" (81cm.)	6" (15 cm.)	min. 15 / max. 18	US Box + US Box center fin

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Eco 10'6"	194 lt. ca.	10'6" (320 cm.)	32" (81 cm.)	4 3/4" (12 cm.)	min. 15 / max. 18	3 integrated fins

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP 11'	279 lt. ca.	11' (335 cm.)	35" (88,9cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Corsa 12'6"	271 lt. ca.	12'6" (381 cm.)	29" (73,5 cm.)	6" (15 cm.)	min. 15 / max. 22	US Box

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Rescue 10'8"	185 lt. ca.	10'8" (325cm.)	30" (76cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box

Double layer.



# TOY 8'2"

# KIDS & SMALL WAVES

#### INTRODUCTION

The iSup Toy is designed for kids.

The overall size (8'2"x28"x4") and low weight allows easy transport and quick inflation.

It is perfect for kids who want to make their first paddling experiences with family/friends or for trying to catch their first little waves.

The board also performs well for adults in the wave riding category with a shorter length and width that increases maneuverability.

NoveNove inflatable stand-up paddle board technologies are designed for fun and safety.

#### **TECHNICAL FEATURES**

- High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Integrated side fins with removable center fin
- Stainless steel D-ring for tying to boats, docks, etc
- $\bullet$  Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Toy 8'2"	110 lt. ca.	8'2" (250 cm.)	28" (72 cm.)	4" (10 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

**Fusion Technology** 



# **ELITE 9'2"**

# WAVE ALLROUND

#### INTRODUCTION

The iSUP Elite 9'2 "is the latest generation inflatable board with Fusion Technology that guarantees an excellent level of resistance as well as a substantial reduction in overall weight compared to traditional boards.

The Elite 9'2 "model is designed for a 360° allround/wave use: the size 9'2" x 31x4 ¾ "with its 165 liters is aimed to those who prefer a slightly smaller board compared to their light to medium weight characteristics (up to 80kg).

Less inflation time, lower weight, greater maneuverability in water.

#### **TECHNICAL FEATURES**

- NoveNove Fusion Technology construction (max 22 PSI) for extreme rigidity.
- High pressure spring valve for quick and easy inflation and deflation
- $\bullet$  Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Integrated side fins with removable center fin
- Stainless steel D-ring for tying to boats, docks, etc
- $\bullet$  Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 9'2"	165 lt. ca.	9'2" (280 cm.)	31" (79 cm.)	4 3/4 (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

**Fusion Technology** 



# **ELITE 9'10"**

# WAVE ALLROUND

#### INTRODUCTION

Among the Allround/Wave inflatable boards, the new Elite 9'10" is a great compromise for those who are looking for maneuverability and stability, with its 180 lts., providing good accessibility (up to 90kg).

The board performs in cruising and it's excellent in wave riding with small waves: it is the right choice for medium/high weights looking for a SUP with versatility of use.

Thanks to its Fusion Technology construction, the board is extremely lightweight and maintains excellent rigidity and durability.

#### **TECHNICAL FEATURES**

- NoveNove Fusion Technology construction (max 22 PSI) for extreme rigidity.
- High pressure spring valve for quick and easy inflation and deflation
- $\bullet$  Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Integrated side fins with removable center fin
- $\bullet$  Stainless steel D-rings for tying to boats, docks, etc
- Bungee tie-down system
- $\bullet$  Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 9'10"	180 lt. ca.	9'10" (300cm.)	31,5" (80cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

**Fusion Technology** 



# **ELITE 10'6"**

# WAVE ALLROUND

#### INTRODUCTION

The iSUP 10'6" is the board for every condition on any given day.

Whether it is your first lesson, catching a wave, cruising on the lake, going on an adventure or simply just pure fitness, the ease of travel and exploration will become a daily habit.

It is the perfect family board and a great way to enjoy paddling during your holidays or daily travels.

The 10'6" has an innovative inflatable paddling platform featuring extra volume and width for increased stability with a convenient bungee system for transport. It will gets you anywhere you want to go!

#### TECHNICAL FEATURES

- NoveNove Fusion Technology construction (max 22 PSI) for extreme rigidity.
- High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Integrated side fins with removable center fin
- Stainless steel D-ring for tying to boats, docks, etc
- Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Elite 10'6"	194 lt. ca.	10'6" (320 cm.)	32" (81 cm.)	4 3/4 (12 cm.)	min. 15 / max. 22	US Box + 2 integrated fins

Double layer with hard edge strip



# WIND 10'6"

# ALLROUND & WINDSURF

#### INTRODUCTION

Our iSUP Wind will allow you to fully appreciate the ocean not only as a pure Stand Up Paddle board, but also for windsurfing sessions during your summer beach time.

The iSup Wind 10'6" is the perfect 'beginner to cruiser' all round SUP inflatable board that also allows you to teach your family and friends how to windsurf, plus it doubles as a classic windsurfer board to cruise around your local lakes and flat water.

Our top rider Kauli Seadi and his wife Nana have chosen the iSUP Wind as the perfect choice during their summer sail boat cruise discovering new paradises around the South Pacific Islands.

#### **TECHNICAL FEATURES**

- NoveNove double layer with hard edge strip
- High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- US Box center "dagger" fin
- Stainless steel D-ring for tying to boats, docks, etc
- Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- · High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Wind 10'6"	243 lt. ca.	10'6"" (320cm.)	32" (81cm.)	6" (15 cm.)	min. 15 / max. 18	US Box + US Box center fin

Single layer



# ECO 10'6"

# ALLROUND

#### INTRODUCTION

ISUP Eco 10'6", is the single perfect inflatable SUP for everyone, essential construction single layer tech, lightweight, easy to assemble, quick to inflate.

The 32" width offers a stable and comfortable ride, 4 3/4 inches of thickness and Hi- Tech drop-stitch construction allowing inflation 15/18 PSI for extreme rigidity.

Simple design and maximum technology, the perfect all-around board for your fun times.

#### TECHNICAL FEATURES

- High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Stainless steel D-ring for tying to boats, docks, etc
- Large, comfortable heavy duty backpack with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Eco 10'6"	194 lt. ca.	10'6" (320 cm.)	32" (81 cm.)	4 3/4" (12 cm.)	min. 15 / max. 18	3 integrated fins



### TECNOLOGY

Fusion technology



## ELEVEN

### ALLROUND

### INTRODUCTION

Incorporating many of the same technical design aspects from the rest of the NoveNove iSUP collection line, the new Eleven makes overall stand up paddling easy, fun, and portable.

Ideal for families and travelers 'on the go' ready to explore new beaches and touring along the coasts. Designed also for sporting adventures and fishing, thanks to it's wide shape and multiple Stainless steel D-rings placed at 3/4 nose and tail area to allow fixing bags, coolers and tooling box.

The Eleven is also produced with the latest NoveNove Fusion Technology which combines superior stiffness and

lightweight to a innovative single layer technology.

### TECHNICAL FEATURES

- NoveNove Fusion Technology construction (max 22 PSI) for extreme rigidity.
- · High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- · Soft carry handle
- 7 Stainless steel D-rings for tying to boats, docks, etc
- Bungee tie-down system
- Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Eleven	279 lt. ca.	11' (335 cm.)	35" (88,9cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box

### TECNOLOGY

Fusion technology with PVC stringers



## CORSA 12'6"

### CRUISING & RACING

### INTRODUCTION

The iSUP Corsa 12'6" is the inflatable board specifically designed for cruising and racing training: thanks to its water lines it is very fast and pleasant during long cruising sessions.

Its constructive technology with top/bottom stringer greatly enhances the rigidity of the board by amplifying the running characteristics and top speed of the Corsa 12'6".

The Fusion Technology construction also allows to hold the overall weight of the equipment with easy transportation out of the water.

The 12'6" Corsa is the perfect choice for those who want to explore the coasts by grinding miles or maximizing performances during paddling.

### **TECHNICAL FEATURES**

- NoveNove Fusion Technology construction (max 22 PSI) for extreme rigidity.
- $\bullet$  High pressure spring valve for quick and easy inflation and deflation
- $\bullet$  Large EVA diamond grooved foot pad providing grip and comfort
- Soft carry handle
- Stainless steel D-ring for tying to boats, docks, etc
- Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS	
iSUP Corsa 12'6"	271 lt. ca.	12'6" (381 cm.)	29" (73,5 cm.)	6" (15 cm.)	min. 15 / max. 22	US Box	

### TECNOLOGY

**Double layer** 



## iRESCUE 10'8"

RESCUE

### INTRODUCTION

The iSUP Rescue is designed for Lifeguards to perform a fast rescue safely whilst transporting the rescuee back to shore. 4 3/4 inches of thickness and our Hi-Tech drop- stitch construction allowing for inflation over 20 PSI for extreme rigidity and performance.

At 30" width the hull is narrow enough for regular paddling, a key point in life saving situations.

The high volume allows our iSUP Rescue Board to carry 2 people without any problem. The extended deck pad and the 8 side handles create a proven safety situation even under the most difficult conditions.

The iSUP Rescue board is a 'must have' at life saving stations, beaches, lake fronts, surf schools and camps.

### **TECHNICAL FEATURES**

- Hi-Tech double layer drop-stitch construction allowing inflation over 18 PSI (max 22 PSI) for extreme rigidity.
- High pressure spring valve for quick and easy inflation and deflation
- Large EVA diamond grooved foot pad providing grip and comfort
- Multiple handle system
- Stainless steel D-ring for tying to boats, docks, etc
- Large, comfortable heavy duty wheeled trolley bag with extra room for gear storage.
- High pressure pump w/ gauge
- Repair Kit

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	PSI	FINS
iSUP Rescue 10'8"	185 lt. ca.	10'8" (325cm.)	30" (76cm.)	4 3/4" (12 cm.)	min. 15 / max. 22	US Box

















MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Bowl 5'10"	30 lt. ca.	5'10"	19,9"	2,4"	5 x future fins	mat
Bowl 5'11"	31 lt. ca.	5'11"	20"	2,4"	5 x future fins	mat
Bowl 6'0"	32 lt. ca.	6'0"	20,2"	2,5"	5 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Mahi Mahi 5'8"	31 lt. ca.	5'8"	20,4"	2,5"	5 x future fins	mat
Mahi Mahi 5'10"	35 lt. ca.	5'10"	20,5"	2,7"	5 x future fins	mat
Mahi Mahi 6'0"	40 lt. ca.	6'0"	20,8"	2,9"	5 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Skeg 5'3"	38 lt. ca.	5'3"	22,3"	2,8"	5 x future fins	mat
Skeg 5'5"	40 lt. ca.	5'5"	22,6"	2,8"	5 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Ahi 5'6"	30 lt. ca.	5'6"	20,3"	2,5"	2 x future fins	glossy
Ahi 5'8"	32 lt. ca.	5'8"	20,4"	2,6"	2 x future fins	glossy
Ahi 5'10"	34 lt. ca.	5'10""	20,5"	2,6"	2 x future fins	glossy

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Malibu 7'2"	46 lt. ca.	7'2"	21,3"	2,7"	3 x future fins	mat
Malibu 7'6"	51 lt. ca.	7'6"	21,6"	2,8"	3 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Moana 9'1"	68 lt. ca.	9'1"	22,6"	2,9"	1 US + 2 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Puamana 9'1"	63 lt. ca.	9'1"	22 5/8"	2 3/4"	1 US + 2 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Puamana Pro 9'1"	58 lt. ca.	9'1"	21 7/8"	2 5/8"	1 US + 2 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Makaha 9'6"	78 lt. ca.	9'6"	25,5"	3,1"	1 US	glossy

# BOWL


## PROGRESSIVE SHORTBOARD

The Bowl models are shortboards developed and designed for typical Mediterranean conditions.

The Bowl line is well suited for small to medium waves, with sharp edges on the round-pintail and a progressive rockerline for acceleration.

It's a very loose board in turns and extremely easy to paddle into the waves!





MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Bowl 5'10"	30 lt. ca.	5'10"	19,9"	2,4"	5 x future fins	mat
Bowl 5'11"	31 lt. ca.	5'11"	20"	2,4"	5 x future fins	mat
Bowl 6'0"	32 lt. ca.	6'0"	20,2"	2,5"	5 x future fins	mat

# MAHI MAHI

EASY SHORTBOARD

The Mahi Mahi models ride free and easy in the smallest surf and catch waves like bigger boards. Ideal for mushy surf and small waves, thanks to their double concave bottom, which produces maximum speed and grip.

The large volume and stubby shape will allow you to ride a smaller board compared to regular shortboards. Therefore you can order your Mahi-Mahi 3" to 6" shorter than your own height.



 ermediate	 expert	
ermediate	expert	
MAHI		
ve Height		
		ve Height

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Mahi Mahi 5'8"	31 lt. ca.	5'8"	20,4"	2,5"	5 x future fins	mat
Mahi Mahi 5'10"	35 lt. ca.	5'10"	20,5"	2,7"	5 x future fins	mat
Mahi Mahi 6'0"	40 lt. ca.	6'0"	20,8"	2,9"	5 x future fins	mat

# SKEG

### BIG VOLUME FISHTAIL

Early planing with a maximum volume concept in our shortest board of the collection.

The Skeg models have a pronounced concave on the bottom by the fin area to facilitate turning and with an all-new fish tail the boards have become even lighter under the feet and more responsive.

Different feeling compared to our 'regular' boards and very accessible and easy to use in small surf.



		Suri	dibility		
	 beginner	inter	mediate	expert	
		SK	EG		
		Wave	e Height		
0	0,5	1,0	1,5	2,0	2,0+

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Skeg 5'3"	38 lt. ca.	5'3"	22,3"	2,8"	5 x future fins	mat
Skeg 5'5"	40 lt ca	5'5"	22 6"	2 8"	5 x future fins	mat

# AHI

### RETRO FISH TWINFIN

Our distinctive twin fin that revisits innovation from the 1970's.

Designed for surfers looking for carving and fluid moves with a retro style attitude, including those surfers entering the water to enjoy surfing in every form and simply to relax.



	horimon	 	nediate		
	beginner	A		expert	
	100	Height			
0	0,5	1,0	1,5	2,0	2,0+

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH	
Ahi 5'6"	30 lt. ca.	5'6"	20,3"	2,5"	2 x future fins	glossy	
Ahi 5'8"	32 lt. ca.	5'8"	20,4"	2,6"	2 x future fins	glossy	
Ahi 5'10"	34 lt. ca.	5'10""	20,5"	2,6"	2 x future fins	glossy	


# MALIBU

ALLROUND

The Malibu models have the best possible paddling characteristics of our range with the performance of a shortboard, for surfers who ride one board as their everyday board.

Catch more waves and step up your performance!

Those boards are perfectly suited for surfers who like a performance ride, but want to catch and ride small or large waves with ease.





#### MODEL VOLUME LENGTH THICKNESS FINISH WIDTH FINS 7'2" 21,3" 2,7" 3 x future fins 46 lt. ca. Malibu 7'2" Malibu 7'6" 51 lt. ca. 7'6" 21,6" 3 x future fins


# MOANA

ALLROUND LONGBOARD

Lightweight, speedy, three fins thruster all-round longboard.

A full rockered classic scoop line that still gives speed with the bottom shape including a single-to-double concave, the Moana provides shortboard capabilities to an allround longboard.

Designed for surfing in most wave conditions, this board is pure joy!





LUME L	ENGTH \	WIDTH	THICKNESS	FINS	FINISH
3 lt. ca.	9'1"	22,6"	2,9" 1	US + 2 x future fins	mat
	/		01000	All married transfer and the	All and the same and the same

## PUAMANA


PERFORMANCE LONGBOARD

The Puamana is a 9'1" round-pintail shape perfectly suited for all kinds of power breaks, like the Basque Coast, all european Atlantic coast top spots or classic Sardinian point breaks.

Tested in the best Mediterranean and Atlantic surfing locations, this three fin modern longboard will undoubtedly turn amazingly well in the pocket and cuts back into the power source of the wave on a razors edge.

This fantastic board takes off in deep sections reaching immediately the perfect speed that will drive your next surfing experience!

If you want to improve your level on powerful waves, the Puamana is the board for you!





## P U A M A N A PRO

PRO LONGBOARD


This new shape is simply a World Tour type model and it's not "everyone's board".

The Puamana Pro is a 9'1" three fin modern longboard that will let you take off on the deepest and vertical sections thanks to the no compromise combination between scoop-rockerline, outline and rails. It turns amazingly well at higher speed and sprays on the wave lip just like a shortboard, letting you live the ultimate hi-performance longboard experience.

It's pure adrenaline!

The Puamana Pro model is the perfect board for travelers who love to measure themselves with fast and hollow waves, perfect point breaks or simply experienced riders that want to enjoy their home breaks when "the game gets tough".

If you think you can tame it you will simply love it!





MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Puamana 9'1"	63 lt. ca.	9'1"	22 5/8"	2 3/4"	1 US + 2 x future fins	mat

MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Puamana Pro 9'1"	58 lt. ca.	9'1"	21 7/8"	2 5/8"	1 US + 2 x future fins	mat

# MAKAHA

CLASSIC LONGBOARD

Glide is the word for this beauty.

The same sensations that our grandfathers were experiencing riding their classic longboards has again become a reality.

Paddle into the waves and take off meters before all the other surfers, let the board increase its' speed effortlessly and assume the place in the bowl, giving you the time to choose, if to attack the lip with an elegant drop knee turn or cross-step to the nose before the "hang ten" of your life.

That's simply the Makaha 9'6".





MODEL	VOLUME	LENGTH	WIDTH	THICKNESS	FINS	FINISH
Makaha 9'6"	78 lt. ca	9'6"	23,5"	3,1"	1 x US	Glossy







**TECNO UNLIMITED S.r.I.**, Via Italica, 74, Pescara, ITALY Headquarter: Via Vecchia Scorciosa, 12 - Fossacesia (CH) - Italy

### contact@tecnounlimited.com

Logistic: Koppelberg 4-6, 24159 Kiel - Germany Tel.: +49 431 389079-0 www.i-99.it www.duo-boards.com